

Table 1 - New Release B DSS Level 4 Requirements

Data reflects RTM baseline of 3/14/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	text
<u>S-DSS-00222</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>		<u>The SDSRV CI shall provide the operations staff the capability to assign, for each data type, an Archive ID which maps to a physical storage location for that data type.</u>
<u>S-DSS-00715</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>		<u>The SDSRV CI shall provide users the capability to insert and retrieve data, within a given DAAC, without requiring the user to specify the location of the data within the DAAC.</u>

Table 2 - Level 4 Requirements To Delete
Data reflects RTM baseline of 3/14/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
S-DSS-20520	-3695	A	functional	approved	demo	<u>unverified</u>			The STMGT CI shall provide operations staff the capability to change the allocation of storage devices to individual Data Servers.
S-DSS-20530	-3696	A	functional	approved	demo	<u>unverified</u>			The STMGT CI shall provide the capability to display/view/print the allocation of storage devices to Data Servers.
S-DSS-20540	-3697	A	functional	approved	demo	<u>unverified</u>			The STMGT CI shall provide an automatic capability during startup to allocate storage devices to Data Servers.
S-DSS-20800	-8896	B0	functional	approved	test	unverified	96-1353A		The STMGT CI shall use operator selectable criteria to determine the physical storage device that data types will be stored in. This criteria shall consider: current store and retrieval activity, number of storage devices, type of data to be stored.
S-DSS-21363	-3787	A	functional	approved	demo	<u>unverified</u>			The STMGT CI shall provide location-transparent access to the archived data.

Table 3 - Link Level 4 Requirements to DADS RBR#B
Data reflects RTM baseline of 3/14/97

RBR_id	L4 id
<u>DADS0430#B</u>	<u>S-DSS-00222</u>
<u>DADS1520#B</u>	<u>S-DSS-00715</u>
<u>DADS1620#B</u>	<u>S-DSS-00222</u>
<u>DADS1620#B</u>	<u>S-DSS-20810</u>

Table 4 - Update DSS L4 Requirements
Data reflects RTM baseline of 3/14/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
S-DSS-20810	8897	B0 <u>B1</u>	functional	approved	test	unverified	96-1353A		The STMGT CI shall provide operations staff the capability to manually alter the criteria that determines the physical storage device that data sets will be stored in. <u>The STMGT CI shall provide the operations staff the capability to change the correspondence between an Archive ID, which is assigned to one or more data types, and the physical storage location associated with that Archive ID.</u>